

# 2012

## Grindmaster-Cecilware Foodservice Equipment Price List

Effective January 1, 2012





# Table of Contents

<b>Fryers: Floor Model, Gas</b> .....	<b>2</b>
<b>Fryers: Floor Model, Electric</b> .....	<b>3</b>
<b>Fry-Saver®</b> .....	<b>3</b>
<b>Fryers: Countertop, Electric</b> .....	<b>4</b>
<b>Fryers: Countertop, Gas</b> .....	<b>5</b>
<b>Fryer Baskets</b> .....	<b>5</b>
<b>Griddles: Gas</b> .....	<b>6</b>
<b>Cheese Melters</b> .....	<b>6</b>
<b>Short Order Stoves: Gas</b> .....	<b>6</b>
<b>Char-Broilers: Gas</b> .....	<b>6</b>
<b>Griddles: Electric</b> .....	<b>7</b>
<b>Short Order Stoves: Electric</b> .....	<b>7</b>
<b>Cheese Melter/Finisher</b> .....	<b>7</b>
<b>Sandwich/Panini Grills</b> .....	<b>8</b>
<b>Induction Cookers</b> .....	<b>8</b>
<b>Pizza/Baking Ovens</b> .....	<b>9</b>
<b>Convection Oven</b> .....	<b>9</b>
<b>Food Warmers</b> .....	<b>10</b>
<b>Syrup Warmers</b> .....	<b>10</b>
<b>Oatmeal Dispenser</b> .....	<b>11</b>
<b>Hot Food Dispenser</b> .....	<b>11</b>
<b>Refrigerators: Countertop, Display</b> .....	<b>11</b>
<b>Fountain Pumps, Jars, &amp; Accessories</b> .....	<b>12</b>
<b>Syrup &amp; Condiment Rails</b> .....	<b>13</b>
<b>Warranty</b> .....	<b>16</b>
<b>Sales Representatives</b> .....	<b>17</b>





**FMS40**

## Floor Model Gas Fryers - 40 lbs.

Model	Tank	Dimensions W x D x H	BTU's / Hour	Ship Weight	List Price
FMP40BSS* (556625)	Mild Steel 14 Gauge	15½" x 31" x 44½"	115,000	200 lbs.	\$ 1,554
FMP40* (555500)	Mild Steel 14 Gauge	15½" x 31" x 44½"	115,000	200 lbs.	1,786
FMS40* (556500)	Stainless Steel 14 Gauge	15½" x 31" x 44½"	115,000	200 lbs.	2,184
FMP403HP** (555640)	Mild Steel 14 Gauge	15½" x 31" x 44½"	110,000 (Nat) 100,000 (LP)	190 lbs.	1,652
FMS403HP** (555630)	Stainless Steel 16 Gauge	15½" x 31" x 44½"	110,000 (Nat) 100,000 (LP)	195 lbs.	1,870

Working Height: 35". Specify Natural or LP Gas. Minimum Fat Capacity: \*41 lbs., \*\* 49 lbs. Door: Stainless Steel. Body Construction: Stainless steel, except FMP40BSS - enamel. Standard: Heavy duty legs. Optional: Casters - 4 required, 2 regular M014A - \$60 each and 2 locking M015A - \$80 each. Includes 2 Fry Baskets: #V174P, see fry basket chart for dimensions page 5. Warranty: Cecilware floor model fryer fry tanks are warranted against manufacturing or material defects as follows - stainless steel tanks 10 years\*prorated, mild steel tanks 5 years\* prorated. \* Does not apply to FMP403-HP and FMS403-HP.



**FMS65**

## Floor Model Gas Fryers - 65 lbs.

Model	Tank	Dimensions W x D x H	BTU's / Hour	Ship Weight	List Price
FMP65 (556800)	Mild Steel 14 Gauge	20" x 35" x 44½"	135,000	265 lbs.	\$ 2,562
FMS65 (556820)	Stainless Steel 16 Gauge	20" x 35" x 44½"	135,000	265 lbs.	3,414

Working Height: 35". Specify Natural or LP Gas. Minimum Fat Capacity: 79 lbs. Door: Stainless Steel. Body Construction: Stainless steel. Standard: Heavy duty legs. Optional: Casters - 4 required, 2 regular M014A - \$60 each and 2 locking M015A - \$80 each. Includes 2 Fry Baskets: #V180P, see fry basket chart for dimensions page 5. Warranty: Cecilware floor model fryer fry tanks are warranted against manufacturing or material defects as follows - stainless steel tanks 10 years prorated, mild steel tanks 5 years prorated.

## Dump Station Food Warmer



**FMDS**

Model	Working Height	Dimensions W x D x H	Electrical	Ship Weight	List Price
FMDS (555000)	35"	15½" x 30½" x 50"	120V, 1.6KW, 13.3A	95 lbs.	\$ 1,352

Electrical: Line cord included. Door: Stainless Steel. Body Construction: Stainless steel. Standard: Quartz Element, Heavy duty legs. Optional: Casters - 4 required, 2 regular M014A - \$60 each and 2 locking M015A - \$80 each. Banking strip to line up with FM-40 U631A - See below or parts price list.

### Fryer Accessories

Part	Description	List Price
U589Q	Cover for 40 lbs. fryer	\$ 130
U631A	Banking (connecting) strip 40 lbs. fryer	56
U641A	Cover for 65 lb. Fryer	186
U633A	Banking (connecting) strip 65 lbs. fryer	66
M014A	Casters (regular)	66
M015A	Casters (locking)	88
V109A	Standard 200 Pan (for dump station)	78



**EFS40**

## Floor Model Electric Fryers - 40 lbs.

Model	Tank	Dimensions W x D x H	Electrical	Ship Weight	List Price
EFP40 (contact factory for part number)	Mild Steel 14 Gauge	15½" x 31" x 44½"	208V, 18KW, 86.5A, 1P 240V, 18KW, 75A, 1P 208V, 18KW, 50A, 3P 220V, 18KW, 48A, 3P	140 lbs.	\$ 3,246
EFS40 (contact factory for part number)	Stainless Steel 16 Gauge	15½" x 31" x 44½"	240V, 18KW, 44A, 3P 380V, 18KW, 28A, 3P 415V, 18KW, 25A, 3P	140 lbs.	3,786

Working Height: 35". Specify Phase & Voltage. Minimum Fat Capacity: 55 lbs. Door: Stainless Steel.  
 Body Construction: Stainless steel. Standard: Heavy duty legs. Optional: Casters - 4 required, 2 regular M014A - \$60 each and 2 locking M015A - \$80 each. Includes 2 Fry Baskets: #V174P, see fry basket chart for dimensions page 5.  
 Warranty: Cecilware floor model fryer fry tanks are warranted against manufacturing or material defects as follows - stainless steel tanks 10 years prorated, mild steel tanks 5 years prorated.

## Floor Model Electric Fryers - 65 lbs.



**EFS65**

Model	Tank	Dimensions W x D x H	Electrical	Ship Weight	List Price
EFP65 (contact factory for part number)	Mild Steel 14 Gauge	20" x 35" x 44½"	208V, 21KW, 100A, 1P 240V, 21KW, 87.5A, 1P 208V, 21KW, 58A, 3P 220V, 21KW, 55A, 3P	190 lbs.	\$ 4,220
EFS65 (contact factory for part number)	Stainless Steel 16 Gauge	20" x 35" x 44½"	240V, 21KW, 51A, 3P 380V, 21KW, 32A, 3P 415V, 21KW, 29A, 3P	190 lbs.	4,868

Working Height: 35". Specify Phase & Voltage. Minimum Fat Capacity: 102 lbs. Door: Stainless Steel.  
 Body Construction: Stainless steel. Standard: Heavy duty legs. Optional: Casters - 4 required, 2 regular M014A - \$60 each and 2 locking M015A - \$80 each. Includes 2 Fry Baskets: #V180P, see fry basket chart for dimensions page 5.  
 Warranty: Cecilware floor model fryer fry tanks are warranted against manufacturing or material defects as follows - stainless steel tanks 10 years prorated, mild steel tanks 5 years prorated.

### Fryer Accessories

Part	Description	List Price
U589Q	Cover for 40 lbs. fryer	\$ 130
U631A	Banking (connecting) strip 40 lbs. fryer	56
U641A	Cover for 65 lbs. fryer	186
U633A	Banking (connecting) strip 65 lbs. fryer	66
M014A	Casters (regular)	66
M015A	Casters (locking)	78



**F60**

**F100**

**F150**


## FRY-SAVER® Oil Filtration Systems

Model	Oil Capacity	Dimensions Diameter x H	Electrical	Ship Weight	List Price
F60 (557060)	60 lbs./8 gal.	17" diameter x 17"		85 lbs.	\$ 3,540
F100 (557100)	120 lbs./16½ gal.	17" diameter x 33"	120V, 5.5A, 60 Cycles	95 lbs.	3,998
F150 (557150)	150 lbs./20 gal.	17" diameter x 40"		105 lbs.	4,108

Electrical: Motor ¼ hp. Body Construction: Stainless steel. Hose: Made to withstand 250°-300°F high temperatures of cooking oil. No chemical or diatomaceous earth needed.

### Exclusive FRY-SAVER® Accessories

Part	Description	List Price
20000 (F-101)	Filter cartridges (1 dozen / carton)	\$ 546
20003	Filter cartridges (3 / pack)	154
20215 (F-201)	Stainless steel pre-filter assembly	318
20220 (F-202)	Pre-filter paper for F-201 (150 / carton)	154
20230	Large casters (4 / Set)	176
20240	Stabilizing "wings" for large casters (model F-150 only)	296





**EL2X25**  
With Stainless Steel  
Removable Tank

## Countertop Electric Fryers

Model	# of Frypots	Capacity	# of Baskets	Dimensions W x D x H	Electrical	Ship Weight	List Price
EL6 (721140)	1	6 lbs.	1	7½" x 17½" x 12¾"	120V, 1.8KW, 15A	14 lbs.	\$ 392
EL15 (721160)	1	15 lbs.	2	11" x 17½" x 15¾"	120V, 1.8KW, 15A	20 lbs.	650
EL25 (721180)	1	15 lbs.	2	11" x 17½" x 15¾"	240V, 3.2KW, 15A	20 lbs.	714
EL2X6 (721100)	2	(2x) 6 lbs.	2	14½" x 17½" x 12¾"	(2x) 120V, 1.8KW, 15A	22 lbs.	844
EL2X15 (721120)	2	(2x) 15 lbs.	4	21¾" x 17½" x 15¾"	(2x) 120V, 1.8KW, 15A	34 lbs.	1,116
EL2X25 (721130)	2	(2x) 15 lbs.	4	21¾" x 17½" x 15¾"	(2x) 240V, 3.2KW, 15A	40 lbs.	1,170

Electrical: Line cord included, 120V NEMA plug 5-15P, 240V NEMA plug 6-20P. Body Construction: Stainless steel. Includes Fry Basket(s).

### Accessories

Part	Description	List Price
08050	Single large fry basket for EL6 & EL2X6	\$ 74
08086	Single large fry basket for EL15, EL25, EL2X15, & EL2X25	92
08021	Twin fry basket for EL15, EL25, EL2X15, & EL2X25	82



**EL120**  
With Stainless Steel  
Removable Tank

## Countertop Medium Duty Electric Fryers

Model	# of Frypots	Capacity	# of Baskets	Dimensions W x D x H	Electrical	Ship Weight	List Price
EL120 (522100)	1	15 lbs.	2	12" x 19½" x 8¼"	120V, 1.8KW, 15A	30 lbs.	\$ 842
EL170* (522200)	1	15 lbs.	2	12" x 19½" x 12¼"	120V, 1.8KW, 15A	31 lbs.	910
EL250 (522400)	1	15 lbs.	2	12" x 19½" x 8¼"	240V, 5.5KW, 23A 208V, 4.2KW, 20A	30 lbs.	1,030
EL270* (525200)	1	15 lbs.	2	12" x 19½" x 12¼"	240V, 5.5KW, 23A 208V, 4.2KW, 20A	31 lbs.	1,082
EL310* <sup>1</sup> (524200)	1	20 lbs.	2	18" x 21" x 14"	240V, 5.5KW, 23A 208V, 5.5KW, 27A	44 lbs.	1,634
ELT500* <sup>1</sup> Twin Fryer (523400)	2	(2x) 15 lbs.	4	25½" x 20½" x 18½"	240V, 11KW, 46A 208V, 8.4KW, 40A	60 lbs.	2,164

Electrical: Specify voltage. EL120/170 & EL250/270 include line cord. 120V NEMA plug 5-15P, 240V NEMA plug 6-30P 1 Phase only. Body Construction: Stainless steel. Includes Fry Baskets: See fry basket chart for dimensions page 5. \*Includes 4" legs. <sup>1</sup> Line cord NOT supplied on model EL310 & ELT500.



**GF28**  
With Stainless Steel Tanks

## Countertop Gas Fryers

Model	Capacity	# of Baskets	Dimensions W x D x H	BTU's / Hour	Ship Weight	List Price
GF10 (551000)	10 lbs.	2	12¼" x 20½" x 21½"	26,000 (Nat) 26,000 (LP)	53 lbs.	\$ 1,256
GF16 (551500)	16 lbs.	2	12¼" x 21¾" x 24¼"	21,000 (Nat) 20,000 (LP)	60 lbs.	1,744
GF28 (552500)	28 lbs.	2	18" x 22" x 24¼"	45,000 (Nat) 41,000 (LP)	91 lbs.	2,164

Working Height: GF10 14½", GF16/GF28 17¼". Specify Natural or LP Gas. Door: Stainless Steel.  
Body Construction: Stainless steel. Includes Fry Baskets: See fry basket chart for dimensions page 5.



## Quality & Durability

Cecilware fry baskets insure complete and even circulation of shortening for perfect deep fried foods. Sturdy, heavy gauge, wire handles and frames, plus quality nickel plated wire, makes Cecilware baskets superior. Cecilware baskets fit most standard, comparable fryers.

## Floor Model Fryer Baskets with plasticized handles

Part	Fryer Type	Dimensions W x D x H	Weight	List Price
V174P (V174P)	40 lbs. Gas & Electric	6½" x 13¼" X 6"	3 lbs.	\$ 28.00
V180P (V180P)	65 lbs. Gas & Electric	8¾" x 16¾" X 6"	7 lbs.	52.00

V174P fits Cecilware FM40 fryers, V180P fits Cecilware FM65 and EF65 fryers.

## Countertop Fryer Baskets with metal handles

Part	Fryer Type	Hook Placement	Dimensions W x D x H	Weight	List Price
V006A	10 lbs. Gas	Front	3½" x 8¾" X 4½"	4 lbs.	\$ 26.00
V077A	20 lbs. Electric	Right	5" x 11½" X 4⅞"	4 lbs.	34.00
V078A	20 lbs. Electric	Left	5" x 11½" X 4⅞"	4 lbs.	34.00
V091A	13, 18 lbs. Gas, 15 lbs. Electric	Right	4" x 11¾" X 3½"	4 lbs.	26.00
V092A	13, 18 lbs. Gas, 15 lbs. Electric	Left	4" x 11¾" X 3½"	4 lbs.	26.00
V094A	28 lbs. Gas	Right	6¾" x 10⅞" X 4⅞"	6 lbs.	30.00
V095A	28 lbs. Gas	Left	6¾" x 10⅞" X 4⅞"	6 lbs.	30.00

V006A fits Cecilware GF8 Fryers, V077A & V078A fit Cecilware EL310/410 fryers, V091A & V092A fit Cecilware GF10, GF16, EL120/170, EL250/270, ELT500 fryers, V094A & V095A fit Cecilware GF28 fryers; Plasticized handles not available on countertop fryer baskets.





**BG24**

## Medium Duty Gas Griddles

Model	Working Dim. W x D x H	Dimensions W x D x H	BTU's / Hour	Ship Weight	List Price
BG12 (734100)	12" x 18" x 13½"	12⅞" x 21½" x 16"	16,000	81 lbs.	\$ 844
BG24 (734200)	24" x 18" x 13½"	24⅞" x 21½" x 16"	32,000	135 lbs.	1,180
BG36 (734300)	36" x 18" x 13½"	36⅞" x 21½" x 16"	48,000	185 lbs.	1,730
BG48 (734400)	48" x 18" x 13½"	48⅞" x 21½" x 16"	64,000	268 lbs.	2,142

Griddle Plate Thickness: ⅝". Specify Natural or LP Gas. Cooking Surface: Steel. Body Construction: Stainless steel. Burners: 1 burner each 12" of griddle width.



**HDB2042**

## Gas Griddles/Cheesemelters

Model	Working Dim. W x D x H	Dimensions W x D x H	BTU's / Hour	Ship Weight	List Price
HDB2031 (731500)	29" x 19½" x 21"	31" x 22" x 25"	60,000	305 lbs.	\$ 3,894
HDB2042 (732500)	40" x 19½" x 21"	42" x 22" x 25"	90,000 (Nat) 80,000 (LP)	390 lbs.	4,760

Griddle Plate Thickness: ¾". Specify Natural or LP Gas. Cooking Surface: Steel. Body Construction: Stainless steel. NLR: No lift rack Note: Please provide 4" of clearance on the right hand side of the griddle for installation.



**AG120**

## Gas Short Order Stove

Model	# of Burners	Dimensions W x D x H	BTU's / Hour	Ship Weight	List Price
AG120 (741500)	2	12½" x 23¾" x 10¾"	17,000	54 lbs.	\$ 790

Specify Natural or LP Gas. Cooking Surface: Cast iron. Body Construction: Stainless steel.



**BC1824**

## Gas Char-Broilers

Model	# of Burners	Working Dim. W x D x H*	Dimensions W x D x H*	BTU's / Hour	Ship Weight	List Price
BC1812 (705470)	1	12" x 15" x 10½"	12" x 18" x 10½"	17,000	54 lbs.	\$ 802
CCB1812 (706450)	2	12" x 15" x 10½"	12" x 18" x 10½"	25,000	56 lbs.	974
BC1824 (705620)	2	24" x 15½" x 10½"	24" x 18" x 10½"	34,000	98 lbs.	1,082
CCB1824 (706650)	4	24" x 15½" x 10½"	24" x 18" x 10½"	50,000	103 lbs.	1,570
BC1836 (706220)	3	36" x 15½" x 10½"	36" x 18" x 10½"	51,000	141 lbs.	1,862
CCB1836 (707650)	6	36" x 15½" x 10½"	36" x 18" x 10½"	75,000	147 lbs.	2,414

Specify Natural or LP Gas. Cooking Surface: Cast iron. Body Construction: Stainless steel. Includes lava rock briquettes. \*Height: Includes 2½" adjustable legs.

### Accessories

Part	Description	List Price
T600A	Splash guard with grate tilt for BC-1812 & CCB-1812 .....	\$ 74
T601A	Splash guard with grate tilt for BC-1824 & CCB-1824 .....	94
T602A	Splash guard with grate tilt for BC-1836 & CCB-1836 .....	124



**EL1636**

## Medium Duty Electric Griddles

Model	Working Dim. W x D x H	Dimensions W x D x H	Electrical	Ship Weight	List Price
EL1624 (721250)	24" x 16" x 8"	24½" x 22" x 11"	240V, 2.4KW, 10A	81 lbs.	\$ 996
EL1636 (721275)	36" x 16" x 8"	36½" x 22" x 11"	240V, 3.6KW, 15A	117 lbs.	1,298

Griddle Plate Thickness: ½". Electrical: Num. of heating elements - EL1624 = 1, EL1636 = 2, line cord included, NEMA plug 6-20P, available in 1 phase only. Cooking Surface: Steel. Body Construction: Stainless steel.



**EL1824**

## Heavy Duty Electric Griddles

Model	Working Dim. W x D x H	Dimensions W x D x H	Electrical	Ship Weight	List Price
EL1812* (714300)	12" x 18" x 13⅞"	12⅞" x 21" x 17½"	120V, 1.8KW, 15A 208V, 3KW, 14.4A 240V, 4KW, 16.7A	81 lbs.	\$ 1,278
EL1824** (715200)	24" x 18" x 13⅞"	24⅞" x 22½" x 17½"	208V, 6KW, 28.9A 240V, 8KW, 33.4A	150 lbs.	2,056
EL1836** (715300)	36" x 18" x 13⅞"	36⅞" x 22½" x 17½"	208V, 9KW, 43.3A 240V, 12KW, 50A	225 lbs.	2,682
EL1848** (715400)	48" x 18" x 13⅞"	48⅞" x 22½" x 17½"	208V, 12KW, 57.7A 240V, 16KW, 66.7A	300 lbs.	3,818

Griddle Plate Thickness: ⅝". Electrical: Num. of heating elements - EL1812 = 1, EL1824 = 2, EL1836 = 3, & EL1848 = 4. \*Available in 1 phase only. Line cord included with EL1812 120V only. \*\*specify 1 phase or 3 phase. Cooking Surface: Steel. Body Construction: Stainless steel.



**EL24SH**

## Electric Short Order Stove

Model	# of Burners	Dimensions W x D x H	Electrical	Ship Weight	List Price
EL24SH (742350)	2	15" x 25" x 13"	208V, 3.9KW, 18.7A 240V, 5.2KW, 21.7A	32 lbs.	\$ 834

Electrical: Line cord included with 1 phase only, NEMA plug 6-30R, 3 phase optional. Body Construction: Stainless steel.



**CM36M**

## Electric Cheese Melter/Finisher

Model	Food Rack Dim. W x D x H	Dimensions W x D x H	Electrical	Ship Weight	List Price
CM24M (746100)	18" x 11" x 3" min 5" max	24" x 13" x 19"	120V, 1.8KW, 15A	42 lbs.	\$ 1,298
CM24Q (747110)	18" x 11" x 3" min 5" max	24" x 13" x 19"	120V, 1.8KW, 15A	42 lbs.	\$ 1,298
CM36M - 208V (753200)	29" x 11" x 3" min 5" max	36" x 13" x 19"	208V, 3.6KW, 17A	60 lbs.	1,786
CM36M - 240V (753300)	29" x 11" x 3" min 5" max	36" x 13" x 19"	240V, 3.6KW, 15A	60 lbs.	1,786
CM36Q - 208V (750210)	29" x 11" x 3" min 5" max	36" x 13" x 19"	208V, 3.6KW, 17A	60 lbs.	1,786
CM36Q - 240V (752310)	29" x 11" x 3" min 5" max	36" x 13" x 19"	240V, 3.6KW, 15A	60 lbs.	1,786

Specify Metal (M) or Quartz (Q). Electrical: Line cord included only on CM24M/Q. Body Construction: Stainless steel.



**SG2LG**

## Sandwich/Panini Grills

Model	Surface Type	Dimensions W x D x H	Electrical	Ship Weight	List Price
SG1SG (721300)	Single Grooved	15 <sup>3</sup> / <sub>8</sub> " x 15 <sup>3</sup> / <sub>8</sub> " x 23 <sup>1</sup> / <sub>2</sub> "	120V, 1.8KW, 15A	44 lbs.	\$ 672
SG1SF (721315)	Single Flat	15 <sup>3</sup> / <sub>8</sub> " x 15 <sup>3</sup> / <sub>8</sub> " x 23 <sup>1</sup> / <sub>2</sub> "	120V, 1.8KW, 15A	44 lbs.	672
SG1LG (721325)	Single Plus Grooved	20 <sup>1</sup> / <sub>8</sub> " x 17 <sup>1</sup> / <sub>2</sub> " x 23 <sup>1</sup> / <sub>2</sub> "	120V, 1.8KW, 15A	64 lbs.	930
SG1LF (721350)	Single Plus Flat	20 <sup>1</sup> / <sub>8</sub> " x 17 <sup>1</sup> / <sub>2</sub> " x 23 <sup>1</sup> / <sub>2</sub> "	120V, 1.8KW, 15A	64 lbs.	930
SG1LG240 (721320)	Single Plus Grooved	20 <sup>1</sup> / <sub>8</sub> " x 17 <sup>1</sup> / <sub>2</sub> " x 23 <sup>1</sup> / <sub>2</sub> "	240V, 2.4KW, 10A	64 lbs.	930
SG1LF240 (721335)	Single Plus Flat	20 <sup>1</sup> / <sub>8</sub> " x 17 <sup>1</sup> / <sub>2</sub> " x 23 <sup>1</sup> / <sub>2</sub> "	240V, 2.4KW, 10A	64 lbs.	930
SG2LG (721375)	Double Grooved	22 <sup>3</sup> / <sub>4</sub> " x 15" x 23 <sup>1</sup> / <sub>2</sub> "	240V, 3.2KW, 13A	77 lbs.	1,192
SG2LF (721425)	Double Flat	22 <sup>3</sup> / <sub>4</sub> " x 15" x 23 <sup>1</sup> / <sub>2</sub> "	240V, 3.2KW, 13A	77 lbs.	1,192

Grill Working Surface: SG1SG & SG1SF 9<sup>7</sup>/<sub>8</sub>" x 9", SG1LG, SG1LF, SG1LG240, & SG1LF240 14<sup>1</sup>/<sub>8</sub>" x 11", SG2LG & SG2LF 7<sup>1</sup>/<sub>4</sub>" x 9". Overall Height With Lid Opened: 23<sup>1</sup>/<sub>2</sub>". Electrical: Line cord included, 120V NEMA plug 5-15P, 240V NEMA plug 6-20P. Cooking Surface: Steel. Body Construction: Stainless steel.



**TSG2G**

## Medium Duty Sandwich/Panini Grills

Model	Surface Type	Dimensions W x D x H	Electrical	Ship Weight	List Price
TSG1G (720100)	Single Grooved	15" x 12 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> "	110V, 1.4KW, 13A	53 lbs.	\$ 1,202
TSG1F (720150)	Single Flat	15" x 12 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> "	110V, 1.4KW, 13A	53 lbs.	1,202
TSG2G (720200)	Double Grooved	20 <sup>1</sup> / <sub>4</sub> " x 12 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> "	240V, 3.1KW, 13A	69 lbs.	1,702
TSG2F (720250)	Double Flat	20 <sup>1</sup> / <sub>4</sub> " x 12 <sup>1</sup> / <sub>2</sub> " x 19 <sup>3</sup> / <sub>4</sub> "	240V, 3.1KW, 13A	69 lbs.	1,702

Grill Working Surface: TSG1G & TSG1F 14<sup>1</sup>/<sub>2</sub>" x 10", TSG2G & TSG2F 19<sup>3</sup>/<sub>4</sub>" x 10". Overall Height With Lid Opened: 19<sup>3</sup>/<sub>4</sub>". Electrical: Line cord included, 120V NEMA plug 5-15P, 240V NEMA plug 6-20P. Cooking Surface: Cast iron. Body Construction: Stainless steel.



**IC18A**

## Countertop Induction Cookers

Model	Glass Dimensions	Dimensions W x D x H	Electrical	Ship Weight	List Price
IC18A (721700)	10 <sup>3</sup> / <sub>4</sub> " x 10 <sup>3</sup> / <sub>4</sub> "	13" x 16 <sup>1</sup> / <sub>2</sub> " x 4"	120V, 1.8KW, 15A	16 lbs.	\$ 1,050
IC22A (721750)	10 <sup>3</sup> / <sub>4</sub> " x 10 <sup>3</sup> / <sub>4</sub> "	13" x 16 <sup>1</sup> / <sub>2</sub> " x 4"	208V, 2.2KW, 10.6A	16 lbs.	1,596
IC25A (721800)	10 <sup>3</sup> / <sub>4</sub> " x 10 <sup>3</sup> / <sub>4</sub> "	13" x 16 <sup>1</sup> / <sub>2</sub> " x 4"	240V, 2.5KW, 10.4A	16 lbs.	1,596
IWC25A*(wok) (721900)	12 <sup>3</sup> / <sub>4</sub> " diameter	15 <sup>1</sup> / <sub>8</sub> " x 16 <sup>1</sup> / <sub>16</sub> " x 6"	240V, 2.5KW, 10.4A	30 lbs.	2,574

\* Wok pan included. Schott Ceran glass is not used in wok unit. Pan Recommendations: For best results models IC18A, IC22A, IC25A use 4<sup>3</sup>/<sub>4</sub>" - 10" flat bottom pan, IWC25A use 13<sup>3</sup>/<sub>4</sub>" multi-ply wok pan. All pot and pans should be made of the following material: Iron, cast iron, enamelware or stainless steel (In order for the cooker to work, the cookware must attract a magnet). Electrical: Line cord included, 120V NEMA plug 5-15P, 240V NEMA plug 6-15P. Replacement Wok: Available for IWC25A \$170.

## Single Countertop Pizza Oven/Baking Oven



**P022**

Model	Oven Type	Shelf # & Size	Dimensions W x D x H	Electrical	Ship Weight	List Price
P018*** (720500)	Pizza	2* 18¼"	22½" x 23½" x 17½"	120V, 1800W, 15A	138 lbs.	\$ 1,820
P018-220 (720510)	Pizza	2* 18¼"	22½" x 23½" x 17½"	220V, 2850W, 13A	138 lbs.	1,820
P022 (720600)	Pizza	2*, 21"	25½" x 26½" x 17½"	220V, 3600W, 16.4A	145 lbs.	2,304
BK18 (720400)	Baking	1**, 18¼"	22½" x 23½" x 17½"	120V, 1700W, 14.2A	116 lbs.	1,678
BK18-220 (720410)	Baking	1**, 18¼"	22½" x 23½" x 17½"	220V, 1850W, 8.5A	123 lbs.	1,624
BK22 (720450)	Baking	1**, 21"	25½" x 26½" x 17½"	220V, 2200W, 10A	123 lbs.	2,002

Electrical: Line cord included, P018 & BK18 NEMA plug 5-15P, P018-220, BK18-220, & BK22 NEMA plug 6-15P, P022 NEMA plug 6-20P. Body Construction: Stainless steel. \* Comes with Corderite ceramic baking deck(s). \*\* Comes with stainless steel deck or optional corderite ceramic baking deck\*\*\* This unit is for prebaked crust only and is not recommended for fresh dough or pan pizza baking.

## Double Countertop Pizza Oven/Baking Oven



**P044**

Model	Oven Type	Shelf # & Size	Dimensions W x D x H	Electrical	Ship Weight	List Price
P044 (720700)	Pizza	4 Decks*, 22¼"	26" x 28" x 28½"	208V, 7200W, 35.4A, 1P 208V, 7200W, 25.0A, 3P 230V, 7200W, 31.3A, 1P 230V, 7200W, 18.1A, 3P	309 lbs.	\$ 4,976
PB44 (720720)	Combo	3 Decks*, 22¼"	26" x 28" x 28½"	208V, 5750W, 27.6A, 1P 208V, 5750W, 20.3A, 3P 230V, 5750W, 25.0A, 1P 230V, 5750W, 14.5A, 3P	309 lbs.	4,804
BK44 (720740)	Baking	2 Decks*, 22¼"	26" x 28" x 28½"	208V, 4300W, 20.7A, 1P 208V, 4300W, 12.0A, 3P 230V, 4300W, 18.7A, 1P 230V, 4300W, 10.8A, 3P	278 lbs.	4,164

Deck Clearance: PO-44 3¼" clearance between decks, PB-44 lower chamber 7¾" deck clearance, upper chamber 3¼" deck clearance, BK-44 7¾" clearance between decks. Electrical: Line cord included, P044 & PB44 1 phase NEMA plug 6-50P, P044 3 phase 208V NEMA plug 15-50P, P044 3 phase 230V NEMA plug 15-30P, PB44 3 phase 208V NEMA plug 15-30P, PB44 3 phase 230V NEMA plug 15-15P, BK44 1 phase NEMA plug 6-30P, BK44 3 phase NEMA plug 15-15P. Body Construction: Stainless steel. \* Comes with 20¼" x 20½" Corderite ceramic baking decks.

## Turbo Fast Countertop Convection Oven



**TF1/2**

Model	Capacity	Temp.	Dimensions W x D x H	Electrical	Ship Weight	List Price
TF1/2 (720650)	(4) ½ size sheet pans	175° - 520° F	27" x 25½" x 22¼"	240V, 3.2KW, 13.3A	73 lbs.	\$ 2,550

Internal Dimensions: (W x D x H): 21½" x 14½" x 16⅝". Electrical: Line cord included, Nema plug 6-20P. Body Construction: Stainless steel.



**FW24Q**

## Food Warmers - Metal & Quartz Elements

Model	Dimensions W x D x H	Electrical	Ship Weight	List Price
FW24M (800021)	24" x 6" x 2½"	400 Watts	7 lbs.	\$ 230
FW24Q (800011)	24" x 6" x 2½"	575 Watts	7 lbs.	230
FW36M (800041)	36" x 6" x 2½"	600 Watts	9 lbs.	256
FW36Q (800031)	36" x 6" x 2½"	750 Watts	9 lbs.	270
FW48M (800061)	48" x 6" x 2½"	800 Watts	11 lbs.	284
FW48Q (800051)	48" x 6" x 2½"	900 Watts	11 lbs.	292
FW60M (800704)	60" x 6" x 2½"	1,000 Watts	18 lbs.	376
FW60Q (800701)	60" x 6" x 2½"	1,325 Watts	18 lbs.	400
FW72M (800754)	72" x 6" x 2½"	1,200 Watts	21 lbs.	454
FW72Q (800751)	72" x 6" x 2½"	1,500 Watts	21 lbs.	486

Specify Metal (M) or Quartz (Q). Electrical: Available 120V, 208V, 240V Options: Infinite control add "C" suffix to model # - \$40 list price. Showcase lights add "L" suffix to model # - \$50 list price. Body Construction: Stainless steel.



**FFW575M**

## French Fry Warmers

Model	Dimensions W x D x H	Electrical	Ship Weight	List Price
FFW575M or Q (800902 & 800901)	10" x 23½" x 16¼"	575 Watts	15 lbs.	\$ 358

Specify Metal (M) or Quartz (Q). Electrical: Line cord included, 120V. Accommodates: Standard 200 Pan V109A - \$70 list price. Pan not included. Standard: On-off switch, pilot light and 2 showcase bulbs. Body Construction: Stainless steel.



**SD2**

**SD1**

## Syrup Warmers

Model	Capacity	Dimensions Diameter x H	Electrical	Ship Weight	List Price
SD1 (437100)	1 gal.	7½" diameter x 13"	120V, 53W	7 lbs.	\$ 326
SD2 (437200)	2 gal.	9" diameter x 17"	120V, 116W	11 lbs.	456

Electrical: Line cord included, 120V. Body Construction: Stainless steel.



**GB3 LPO**

## Oatmeal Dispenser

Model	Series	Hopper # & Cap.	Tank Cap.	Dimensions W x D x H	Electrical	Ship Wt.	List Price
GB3 LPO (63688)	Hot Food	(3) 4 lbs.	2.75 gal.	11" x 20" x 28½"	120V, 1.8KW, 15A	75 lbs.	\$ 2,316

Electrical: Line cord included, Nema plug 5-15P.



**JAVA1MP**

## Hot Food Dispensers

Dispenses: Mashed Potatoes, Barley, Oatmeal, & Grits.

Model	Series	Hopper # & Cap.	Tank Cap.	Dimensions W x D x H	Electrical	Ship Wt.	List Price
JAVA1MP (080047)	Hot Food	(1) 14 lbs.	3 gal.	8½" x 24¼" x 46"	120V, 1.8KW, 15A, 1 P	75 lbs.	\$ 3,678
JAVA2MP (080344)	Hot Food	(2) 14 lbs.	7½ gal.	14½" x 24¼" x 46"	230V, 6.0KW, 26A, 1P 230V, 9.0KW, 39A, 1P 230V, 18.0KW, 45A, 3P	155 lbs.	4,110

Plumbing: ¼" Water line required. Electrical: Line cord included with JAVA1MP = Nema plug 5-15P & JAVA2MP 26 Amps = Nema plug 6-30P. For units over 30 Amps line cords are not supplied - must be hardwired. Finish: Stainless steel. Note: Non-lit door.



**CTR3.75**



**CTR2.68LD**

## Countertop Display Refrigerators



Model	Cubic Ft.	Temp.	HP	Dimensions W x D x H	Electrical	Ship Weight	List Price
CTR2.68LD (810115)	2.7	32°F - 45°F	⅛	18" x 18¾" x 36½"	120V, .09KW, 1.8A	90 lbs.	\$ 650
CTR3.75 (810105)	3.8	32°F - 45°F	⅛	18¾" x 18" x 33¼"	120V, .09KW, 2A	85 lbs.	\$ 714

Electrical: Line cord included, Nema plug 5-15P. Refrigerant: R-134a. Number of shelves: CTR2.68LD = 4 shelves, CTR3.75 = 5 shelves, additional shelves are available. Finish: Black. Options: Custom display graphics available for CTR2.68LD at additional charge, please contact Cecilware marketing for more information. Note: CTR2.68LD includes lighted exterior merchandising display, both models include interior lights.



**302K**

## Syrup Pumps



Model	Description	Wt. lbs.	List Price
302K (900100)	Standard Syrup Pump, Plastic Knob	2	\$ 86
302KC (900105)	Standard Syrup Pump, Chrome-Plated Knob	2	98
302KL (900102)	Standard Syrup Pump, Long Spout, Plastic Knob	2	98
302KLC (900109)	Standard Syrup Pump, Long Spout, Chrome Knob	2	104
323K (900120)	Deluxe Syrup Pump, Plastic Knob	2	104
323KC (900125)	Deluxe Syrup Pump, Chrome-Plated Knob	2	110
323KL (900314)	Deluxe Syrup Pump, Long Spout, Plastic Knob	2	110
323KLC (900316)	Deluxe Syrup Pump, Long Spout, Chrome Knob	2	124



**302KE**

## Chocolate Pumps



Model	Description	Wt. lbs.	List Price
302KE (900200)	Standard Lever Pump, One Piece S/S Lever	3	\$ 110
302KEC (900210)	Standard Lever Pump, Chrome Knob Assembly	3	124
323KE (900215)	Deluxe Lever Pump, One Piece S/S Lever	3	124
323KEC (900216)	Deluxe Lever Pump, Chrome Knob Assembly	3	132



**333R**

## Condiment Pumps

Model	Description	Wt. lbs.	List Price
333R (900300)	Heavy Duty Condiment Pump w/ Rect. Cover	3	\$ 176

### Options

Specify the suffix letter (S) on 302, 323 and 333 style pumps to fit in crushed fruit jars. There will be no change in list price for this option. Unless specified, blank flavor labels will be sent with all pumps and covers. Pumps with special angle other than standard, add \$7.00 list to the above price. All 302 and 323 series pumps are NSF approved.

## Jars for Syrup and Crushed Fruit (Packed 36 To A Carton)



**JW**

**CW**

Cecilware Part #	Kenco Part #	Description	Wt. lbs.	List Price
A2001	200JB	Black 3½ qt. syrup jar	1	\$ 16
A2002	200JW	White 3½ qt. syrup jar	1	16
A9206	200JWS	White 3½ qt. syrup jar, slotted for ladles	1	16
A9207	200JBS	Black 3½ qt. syrup jar, slotted for ladles	1	16
A2003	200CB	Black 2½ qt. crushed fruit jar	¾	14
A2004	200CW	White 2½ qt. crushed fruit jar	¾	14
A9204	200SB	Black 2½ qt. spoonholder jar with s/s divider	¾	32
A9205	200SW	White 2½ qt. spoonholder jar with s/s divider	¾	32

## Jars Covers and Ladles



Cecilware Part #	Kenco Part #	Description	Wt. lbs.	List Price
A9000	200	Hinged Cover with Plastic Knob	1½	\$ 30
A9001	200C	Hinged Cover with Chrome-Plated Knob	1½	42
A9002	204	Lift-Off Cover with Plastic Knob	1½	22
A9003	204C	Lift-Off Cover with Chrome-Plated Knob	1½	32
A9004	204-7L 1-1/2	Lift-Off Cover with 1½ oz Ladle and Plastic Knob	1½	34
A9074	204-7L 1	Lift-Off Cover with 1 oz Ladle and Plastic Knob	1½	34
A9077	204-7L 1/2	Lift-Off Cover with 1/2 oz Ladle and Plastic Knob	1½	34
A9006	204-7LC 1-1/2	Lift-Off Cover with 1½ oz Ladle and Chrome-Plated Knob	1½	44
A9075	204-7LC 1	Lift-Off Cover with 1 oz Ladle and Chrome-Plated Knob	1½	44
A9078	204-7LC 1/2	Lift-Off Cover with 1/2 oz Ladle and Chrome-Plated Knob	1½	44
A9005	204-7LL 1-1/2	Lift-Off Cover with 1½ oz for Syrup Jar and Plastic Knob	1½	34
A9085	204-7LL 1	Lift-Off Cover with 1 oz for Syrup Jar and Plastic Knob	1½	34
A9082	204-7LL 1/2	Lift-Off Cover with 1/2 oz for Syrup Jar and Plastic Knob	1½	34
A9050	7L 1-1/2	1½ oz Threaded Ladle for 204 Cover to fit C.F. Jar	1	16
A9054	7L 1	1 oz Threaded Ladle for 204 Cover to fit C.F. Jar	1	16
A9055	7L 1/2	1/2 oz Threaded Ladle for 204 Cover to fit C.F. Jar	1	16
A9061	7LL 1-1/2	1½ oz Threaded Ladle for 204 Cover to fit Syrup Jar	1	16
A9062	7LL 1	1 oz Threaded Ladle for 204 Cover to fit Syrup Jar	1	16
A9063	7LL 1/2	1/2 oz Threaded Ladle for 204 Cover to fit Syrup Jar	1	16
A9051	8L 1-1/2	1½ oz Ladle Only, 7", for Crushed Fruit Jar	1	14
A9056	8L 1	1 oz Ladle Only, 7", for Crushed Fruit Jar	1	14
A9059	8L 1/2	1/2 oz Ladle Only, 7", for Crushed Fruit Jar	1	14
A9052	8LL 1-1/2	1½ oz Long Ladle to fit Syrup Jar	1	16
A9064	8LL 1	1 oz Long Ladle to fit Syrup Jar	1	15
A9065	8LL 1/2	1/2 oz Long Ladle to fit Syrup Jar	1	16



244E

## Economy Pumps

Model	Description	Weight	List Price
	<b>Non-Insulated Cabinet with:</b>		
244E (900479)	2 Plastic Pumps, Jars & Covers	9 lbs.	\$ 196
344E (900484)	3 Plastic Pumps, Jars & Covers	10 lbs.	250
444E (900489)	4 Plastic Pumps, Jars & Covers	13 lbs.	310
544E (900495)	5 Plastic Pumps, Jars & Covers	15 lbs.	380



344S

## Super Pumps

Model	Description	Weight	List Price
	<b>Non-Insulated Cabinet with:</b>		
244S (900422)	2 Plastic Pumps, Jars & Covers	9 lbs.	\$ 206
344S (900424)	3 Plastic Pumps, Jars & Covers	10 lbs.	282
444S (900426)	4 Plastic Pumps, Jars & Covers	14 lbs.	370
544S (900428)	5 Plastic Pumps, Jars & Covers	17 lbs.	446



**444G**

## Giant Pumps

Model	Description Non-Insulated Cabinet with:	Weight	List Price
244G (900432)	2 Plastic Pumps, Jars & Covers	9 lbs.	\$ 272
344G (900434)	3 Plastic Pumps, Jars & Covers	10 lbs.	370
444G (900436)	4 Plastic Pumps, Jars & Covers	14 lbs.	478
544G (900438)	5 Plastic Pumps, Jars & Covers	17 lbs.	574



**544M**

## Metal Pumps

Model	Description Non-Insulated Cabinet with:	Weight	List Price
244M (900452)	2 302KCS, Pumps & Jars	14 lbs.	\$ 326
344M (900454)	3 302KCS, Pumps & Jars	16 lbs.	488
444M (900456)	4 302KCS, Pumps & Jars	18 lbs.	608
544M (900458)	5 302KCS, Pumps & Jars	20 lbs.	748

For plastic pump knob, deduct \$6.00 per pump. Please specify.

## Combination Units



**544GC**

Model	Description Non-Insulated Cabinet with:	Weight	List Price
544EC (900460)	2 Economy Pumps, 5 Jars, 3 Covers & 3 Ladles	15 lbs.	\$ 478
544SC (900462)	2 Super Pumps, 5 Jars, 3 Covers & 3 Ladles	17 lbs.	510
544GC (900463)	2 Giant Pumps, 5 Jars, 3 Covers & 3 Ladles	17 lbs.	542
544MC (900465)	2 302KCS Pumps, 5 Jars, 3 Covers & 3 Ladles	18 lbs.	638



## Pump Dispenser Kits

Model	Description	List Price
950000	Economy Pump .....	\$ 20
960000	Super Pump .....	34
970000	Giant Pump .....	70

All kits include:

(1) Pump w/Dip Tube	(1) 38mm (1½" Dia.) Cap
(1) 89mm (3½" Dia.) Cap	(1) 110mm (4⅝" Dia.) Cap
(1) 120mm (4⅞" Dia.) Cap	(1) 160mm (6⅝" Dia.) Cap

A3540	Economy Pump Only (E) .....	\$ 14
A132Q	Super Pump (S) with Dip Tube .....	32
A1319	Giant Pump Only (G) .....	50

### Pump & Cap Sets



Model	Description	List Price
950038	Economy Pump W/Dip Tube & 38mm (1½") Cap	\$ 14
950089	Economy Pump W/Dip Tube & 89mm (3½") Cap	14
950110	Economy Pump W/Dip Tube & 110mm (4⅝") Cap	14
950120	Economy Pump W/Dip Tube & 120mm (4⅞") Cap	14
950160	Economy Pump W/Dip Tube & 160mm (6⅝") Cap	14
960038	Super Pump W/Dip Tube & 38mm (1½") Cap	34
960089	Super Pump W/Dip Tube & 89mm (3½") Cap	34
960110	Super Pump W/Dip Tube & 110mm (4⅝") Cap	34
960120	Super Pump W/Dip Tube & 120mm (4⅞") Cap	34
960160	Super Pump W/Dip Tube & 160mm (6⅝") Cap	34
970038	Giant Pump W/Dip Tube & 38mm (1½") Cap	60
970089	Giant Pump W/Dip Tube & 89mm (3½") Cap	60
970110	Giant Pump W/Dip Tube & 110mm (4⅝") Cap	60
970120	Giant Pump W/Dip Tube & 120mm (4⅞") Cap	60
970160	Giant Pump W/Dip Tube & 160mm (6⅝") Cap	60

### Accessories

Model	Description	Wt. lbs.	List Price
244 (900482)	Cabinet Only (10" Wide)	3	\$ 154
344 (900487)	Cabinet Only (14½" Wide)	5	164
444 (900492)	Cabinet Only (19" Wide)	7	196
544 (900587)	Cabinet Only (24" Wide)	9	216
A3535 (A3535)	Stainless Steel Cover Only-Plastic Pumps (244, 344, 444, 544)		24



### Dipperwell, Faucet & Waste Chute

Model	Description	Wt. lbs.	List Price
FW-510 (900000)	Dipperwell and Faucet	5	\$ 208
F10 (900005)	Dipperwell Faucet Only	2	58
W-5 (900010)	Dipperwell Only	3	118
C-8 (2402A)	Waste Chute	2	82

## Grindmaster-Cecilware Corporation™ Foodservice Equipment Warranty for USA

Effective January 1, 2010

New machines that have been manufactured by or for Grindmaster-Cecilware Corporation™ and all parts thereof are conditionally\* warranted to the original user by Grindmaster-Cecilware Corporation™ to be free from defects in material and workmanship (existing at the time of manufacture and appearing during the stated warranty period) under normal use and service as follows:

### All Equipment unless specified otherwise below: 1 year parts and 90 days labor

Floor Model Fryer Fry: Stainless Steel (except 403 Series)	Floor Model Fryer Fry: Mild Steel (except 403 Series)	Floor Model Fryer Fry: Stainless Steel (403 Series)	Floor Model Fryer Fry: Mild Steel (403 Series)	Fry Baskets, Chairs, Tables, Fountain Pumps, Jars/Jar Accessories, Syrup & Condiment Rails
1 year parts 10 years tank (parts only) 90 day labor	1 year parts 5 years tank (parts only) 90 day labor	1 year parts 5 years tank (parts only) 90 day labor	1 year parts 3 years tank (parts only) 90 day labor	30 day replacement only

During these warranty periods, Grindmaster-Cecilware Corporation™ will at its option (and after inspection), repair or replace a defective unit with no charge for parts or bench labor during the applicable parts or labor warranty period, respectively. Grindmaster-Cecilware Corporation's obligation under these warranty periods shall be limited to repairing or replacing any part of said dispenser (excluding plastic parts, rubber parts, light bulbs or normal wear items), which proves defective within the warranty period. These warranty periods run from the date of installation (proof of installation date required) if within 6 months of ship date, or if no proof of installation is provided the warranty start date is the original ship date of the equipment. Travel is covered up to 50 miles or 1 hour, whichever comes first. Labor does not include the cost of shipping to or from the service station or factory.

\*This warranty is subject to the following conditions, terms and exclusions (for a detailed list see Warranty Explanation):

- Warranty does not apply to machines or any part thereof which have been subject to any accident, abuse, misuse, neglect, alteration, use on incorrect voltage, improper ventilation, damage caused in transit, improper installation or operation, improper maintenance or repair, normal wear items, plastic or rubber parts, poor water conditions, machine adjustments, temporary non-functioning conditions, fire, flood or acts of God;
- Warranty is in lieu of all other warranties expressed or implied. In no event shall Grindmaster-Cecilware Corporation™ be liable for consequential or incidental damages.
- The model and serial number of the unit (shown on the serial plate) shall be supplied to the service station or factory along with the defective parts of the unit.
- Upon request by Grindmaster-Cecilware Corporation™, some warranty parts, (including but not limited to: motors, compressors, micro controlled based boards, and gear motors) shall be shipped prepaid to the Grindmaster-Cecilware™ Factory Service Center designated in the RGA confirmation. Upon receipt, Grindmaster-Cecilware Corporation™ will inspect parts to verify warranty claim is valid. Replacement parts will be billed out when shipped, and then credited on return of a part that is proven to be a valid warranty claim upon inspection by Grindmaster-Cecilware Corporation™. Warranty labor will not be paid until warranty claim parts are received and validated by Grindmaster-Cecilware Corporation™.
- The buyer shall give prompt notice to Grindmaster-Cecilware Corporation™, and must obtain prior authorization from Grindmaster-Cecilware Corporation™, for any claim to be made under said warranty via telephone at (800-695-4500) or writing to P.O. Box 35020, Louisville, KY 40232-5020.
- Upon request by Grindmaster-Cecilware Corporation™, the defective equipment shall be shipped prepaid to the Grindmaster-Cecilware™ Factory Service Center designated in the RGA confirmation, or, if requested by Grindmaster-Cecilware Corporation™, to an authorized Grindmaster-Cecilware™ service location.
- No field (including travel), outside or service station work is covered by this warranty without prior authorization by the Grindmaster-Cecilware™ Service Department.**

The dealers, distributors, employees and agents of Grindmaster-Cecilware Corporation™ are not authorized to modify this warranty or to add warranties that are binding to Grindmaster-Cecilware Corporation™. Neither written nor oral statements by such individuals establish warranties and thus should not be relied upon. This will establish your warranty rights. The purchaser's redress against Grindmaster-Cecilware Corporation™ for the breach of any obligation arising from the sale of this equipment, whether derived from warranty or elsewhere, shall be limited to repair, replacement or refund at Grindmaster-Cecilware Corporation's™ discretion.

#### Credit Terms:

- Net 30 days from date of invoice with approved credit application. 1% discount for payment in 10 days. Credit applications for open account normally take 10 working days for approval unless rated by Dun and Bradstreet as high or good.
- We welcome MasterCard®, Visa®, and American Express®.
- Customers without open accounts are required to send payment in advance or pay by credit card. A cashier's check or money order can be accepted. No C.O.D. orders.
- Minimum order is \$40 list price.
- No goods can be returned for credit without our prior written consent and may be subject to a 15% re-stocking charge.
- Prices subject to change.
- Product specifications are subject to improvement or change.
- Supersedes all previous price lists.

## Contact Us

### Customer Service

place an order • check product availability and price • obtain freight and tracking information • request literature • inquire about parts  
Phone: 502.425.4776 or Toll Free: 1-800-695-4500 (US & Canada) Email: csmailbox@gmcw.com

### Technical Service

warranty information • equipment troubleshooting • schedule service calls • RA inquiries • part number inquiries  
Phone: 502.425.4776 or Toll Free: 1-800-695-4500 (US & Canada) Email: tsmailbox@gmcw.com

### Inside Sales Support

quotes • bids • special order inquiries  
Scott Laird - Phone: 502.425.4776 ext. 2137 or Toll Free: 1-800-695-4500 ext. 2137 (US & Canada) Email: slaird@gmcw.com

### Field Service Programs

technical service programs • field training  
Terry Haywood - Phone: 502.425.4776 ext. 2167 or Toll Free: 1-800-695-4500 ext. 2167 (US & Canada) Email: thaywood@gmcw.com

## Domestic Foodservice Equipment Sales Team

### Midwest Territory

Keith Enscoe, VP Domestic Sales  
Ph: (502) 905-8263 Email: kenscoe@gmcw.com

#### Ohio, Michigan, Indiana, Kentucky

Bryan Johnson  
Ph: (513) 460-4594  
bjohnson@gmcw.com

#### Iowa (Foodservice only), Missouri

A.R.I. Group  
Ph: (636) 537-8550  
dspener@aol.com

#### Minnesota, N. Wisconsin, N. Dakota, S. Dakota, Iowa Nebraska, Kansas

Star Belmont, LLC  
Ph: (763) 475-4581  
alucia@gmcw.com

#### Illinois, S. Wisconsin

Paul Wojcik & Assoc.  
Ph: (708) 579-5567  
pwafood@ameritech.net

### Northeast Territory

Paul Kahn, VP Domestic Sales  
Ph: (800) 935-2211 Ext: 3223 Email: pkahn@gmcw.com

#### Mid-Atlantic Region

*(Dealers & Consultants only)*  
Michael Belardo  
Ph: (917) 273-7579  
mbelardo@gmcw.com

#### New York, New Jersey

*(Dealers & Consultants only)*  
Clements-Stella Marketing  
Ph: (631) 758-5316 (NY)  
Ph: (201) 767-5710 (NJ)  
tmc53@optonline.net (NY)  
csm91@optonline.net (NJ)

#### Upstate New York

Jim Law & Associates  
Ph: (585) 247-8130  
jim@gojimlaw.com

#### New England Region

Pardee, Freeman Inc.  
Ph: (978) 281-2700  
hpardee@pardeefreeman.com  
ofreeman@pardeefreeman.com

**Domestic Sales Representative continued next page ⇨**



## Domestic Foodservice Equipment Sales Team (continued)

### Southeast Territory

Rich Tosi, VP Domestic Sales  
Ph: (407) 474-7060 Email: rtosi@gmcw.com

**Alabama, Georgia,  
Mississippi, Tennessee**  
Cutting Edge Marketing  
Ph: (770) 649-9337  
hgibson@cuttingedgereps.com

**South Texas, Louisiana**  
Loftus & Associates  
Ph: (281) 496-7660  
tc@loftusassoc.com

**North Carolina, South Carolina,  
Virginia**  
Pro-Reps  
Ph: (252) 521-1827  
rick@pro-reps.com

### West/Central Territory

Frank Coronado, VP Domestic Sales  
Ph: (480) 208-4425 Email: fcoronado@gmcw.com

**North Texas, Oklahoma,  
Arkansas**  
Jeff Loff  
Ph: (502) 645-3010  
jloff@gmcw.com

**N. California, N. Nevada**  
Dave Williams  
Ph: (209) 602-0117  
dwilliams@gmcw.com

**Oregon, Washington,  
Alaska**  
Dodson-Conklin Group  
Ph: (503) 502-1873  
jaydodson@comcast.net  
terryconklin@comcast.net

**S. California**  
Fredco Manufacturers' Rep.  
Ph: (949) 788-7788  
office@fredcoreps.com

**Colorado, Montana, New  
Mexico, Utah, Idaho, Arizona**  
Ignite Foodservice Solutions  
Ph: (303) 433-0124  
mail@ignitefoodservice.com

## International Foodservice Equipment Sales Team

**Canada**  
**Specialty Beverage Solutions**  
Ph: (888) 805-5528  
sales@sbsolutions.ca

**Outside US (Except Canada)**  
HD Sheldon  
Ph: +1-212-924-6920  
rmetros@hdsheldon.com











**Address:**

4003 Collins Lane, Louisville, KY 40245 USA

**Phone:**

+1.502.425.4776

Toll Free: 800.695.4500 (US & Canada only)

**Fax:**

+1.502.425.4664

**[info@gmcw.com](mailto:info@gmcw.com)**

**[www.gmcw.com](http://www.gmcw.com)**